

L Number	Hits	Search Text	DB	Time stamp
-	<i>Abstract 29</i> <i>Kvic</i>	((fingerprint adj data) near3 ((id or identification or index) and (database or storage)))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 21:59
-	67239	((associat\$4 or connect\$4 or relat\$4 or link\$4) near3 (id or index or identificat\$4))	EPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/09/28 22:09
-	<i>Red 6</i>	((biometric adj data) near3 ((associat\$4 or connect\$4 or relat\$4 or link\$4) near (id or index or identificat\$4)))	EPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/09/28 22:02
-	69078	((sav\$4 or retain\$4 or stor\$4) near3 (id or index or identificat\$4))	EPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/09/28 22:15
-	268	((sav\$4 or retain\$4 or stor\$4) near3 (id or index or identificat\$4)) and ((biometric adj data) near3 (id or index or identificat\$4))	EPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/09/28 22:16
-	181	((associat\$4 or connect\$4 or relat\$4 or link\$4) near3 (id or index or identificat\$4)) and (((sav\$4 or retain\$4 or stor\$4) near3 (id or index or identificat\$4)) and ((biometric adj data) near3 (id or index or identificat\$4)))	EPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/09/28 22:20
-	0	((associat\$4 or connect\$4 or relat\$4 or link\$4) near3 (id or index or identificat\$4)) and (((sav\$4 or retain\$4 or stor\$4) near3 (id or index or identificat\$4)) and ((biometric adj data) near3 (id or index or identificat\$4))) and ((utiliz\$4 or using) adj (id or index or identificat\$4))	EPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/09/28 22:20
-	0	((sav\$4 or retain\$4 or stor\$4) near3 (id or index or identificat\$4)) and ((biometric adj data) near3 (id or index or identificat\$4)) and ((utiliz\$4 or using) adj (id or index or identificat\$4))	EPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/09/28 22:20
-	0	((biometric adj data) near3 (id or index or identificat\$4)) and ((utiliz\$4 or using) adj (id or index or identificat\$4))	EPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/09/28 22:20
-	<i>th</i> <i>Kvic</i> 65	((utiliz\$4 or using) adj (id or index or identificat\$4)) and ((retriev\$4 or locate or identify)	EPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/09/28 22:50

-	2126	(biometric adj data)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 22:21
-	<i>Lead</i> 1	((utiliz\$4 or using) adj (id or identification or index)) adj (retriev\$4 or locate or identify)) and ((biometric adj data))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 22:21
-	<i>Abstract</i> 58	biometric adj (data adj captur\$4)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 23:40
-	<i>Lead</i> 9	6292795.URPN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 22:56
-	<i>Lead</i> 5	"4611272" "5557794" "5727197" "5887274" "6065010").PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 22:57
-	0	20020147600.URPN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 23:07
-	254	(identification near3 (biometric adj data))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 23:45
-	<i>Lead</i> 6	(positive adj identification) near3 (biometric adj data)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/29 15:53
-	<i>File</i> 125	((identification near3 (biometric adj data)) and Id	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 23:46
-	<i>File</i> 0	6697947.URPN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/28 23:49
-	<i>File</i> 40	((("4821118") or ("4993068") or ("4995086") or ("5054089") or ("5095194") or ("5109427") or ("5109428") or ("5144680") or ("5146102") or ("5180901") or ("5210588") or ("5210797") or ("5222152") or ("5230025") or ("5241606") or ("5265162") or ("5321242") or ("5325442") or ("5351303") or ("5280527"))).PN.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/29 15:48
-	1127	((("not" or no) adj need\$4) near3 (code or pin or pic or "personal identification code" or "personal identification number" or "personal identifying number"))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/29 16:14
-	4468	(positive adj identification)	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/29 15:53

File 10 Line 10	((("not" or no) adj need\$4) near3 (code or pin or pic or "personal identification code" or "personal identification number" or "personal identifying number") and ((positive adj identification))	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 15:53
File 98	((identification near3 (biometric adj data))) and Id) and database	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 15:56
0	((("not" or no) adj need\$4) near3 (code or pin or pic or "personal identification code" or "personal identification number" or "personal identifying number") and (((identification near3 (biometric adj data))) and Id) and database)	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 15:56
410	((biometric adj data) near3 (id or index or identificat\$4))	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 16:09
0	((("not" or no) adj need\$4) near3 (code or pin or pic or "personal identification code" or "personal identification number" or "personal identifying number") and (((biometric adj data) near3 (id or index or identificat\$4)))	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 15:57
Read 7	((("not" or no) adj need\$4) near3 (code or pin or pic or "personal identification code" or "personal identification number" or "personal identifying number") and (biometric adj identiff\$5)	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 16:07
Read 7	((("not" or no) adj (requir\$4 or need\$4)) near3 (code or pin or pic or "personal identification code" or "personal identification number" or "personal identifying number") and (biometric adj identiff\$5)	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 16:07
Read 7	((("not" or no) adj (requir\$4 or need\$4 or Necessary)) near3 (code or pin or pic or "personal identification code" or "personal identification number" or "personal identifying number") and (biometric adj identiff\$5)	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 16:07
File 180	((biometric adj data) near3 (id or index or identificat\$4)) and (Merchant or "point of sale" or pos)	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 16:14
File 57 Line 57	((("not" or no) adj need\$4) near3 (code or pin or pic or "personal identification code" or "personal identification number" or "personal identifying number") and (Merchant or "point of sale" or pos)	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 16:17

0	((access adj control) near3 biometric) and (lookup adj (key or id or identifier or number))	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 19:33
147	((access adj control) near3 biometric)	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 19:33
900	(lookup or look-up or "look up") adj (key or id or identifier or number)	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 19:34
2	((access adj control) near3 biometric)) and ((lookup or look-up or "look up") adj (key or id or identifier or number))	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 20:14
145	((user adj authentication) near4 biometrics) and (automat\$4 ajd4 (generat\$4 or creat\$4))	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 20:17
2	((lookup or look-up or "look up") adj (key or id or identifier or number)) and ((user adj authentication) near4 biometrics) and (automat\$4 ajd4 (generat\$4 or creat\$4))	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 20:16
137	((user adj authentication) near4 biometrics) and (automat\$4 ajd4 (generat\$4 or creat\$4)) and (key or id or identifier or number)	USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/29 20:17
Abstract 16 Kwiv	6618806.URPN. ("4827518" "5229764" "5272754" "5280527" "5430827" "5534855" "5613012" "5682478" "5719950" "5848231" "6016476" "6038315" "6067623" "6317544" "6400806" "6434259").PN.	USPAT USPAT IBM_TDB USPAT	2004/09/29 20:52 2004/09/29 20:52